



Material Safety Data Sheet

TEOH-N Perfluoroalkyl Ethyl Alcohols (Narrow Distribution)

Revised 03- November-2009

1. PRODUCT AND COMPANY IDENTIFICATION

Material Identification:

Product name: TEOH-N
Chemical name: Perfluoroalkyl ethyl alcohols, narrow distribution
1H, 1H,2H,2H-Perfluoroalkyl-1-ols
Chemical formula: $F(CF_2CF_2)_nCH_2CH_2OH$, $n = 2, 3, 4, \dots$; mostly $n = 4$
 $C_nH_4F_mO$; $n = 6, 8, 10, 12$; $m = 2n-3$

Company Identification:

Distributor Top Fluorochem Co., Ltd.
Building C2, 3rd Floor
479 Chun Dong Road
XinZhuang Industrial Park
Minhang District
Shanghai, P. R. China 201108

Manufacturer Fuxin Hengtong Fluorine Chemicals Co., Ltd.
Fuxin Chemicals Community
West Pingan St.
Haizhou District
Fuxin City, Liaoning Province, P. R. China

Emergency Call +86-21-54833399

2. COMPOSITION AND INFORMATION ON COMPONENTS

| Material | EINECS # | CAS # |
|-------------------------------|-----------|------------|
| Perfluoroalkyl ethyl alcohols | 269-927-8 | 68391-08-2 |

3. HAZARDS IDENTIFICATION

Emergency Overview:

Potential Effects of Exposure:

General: Based on animal experiments, gross overexposure may cause abnormal liver or kidney function as detected by laboratory tests.

Inhalation: Inhalation of spray or mist may cause nasal, throat, or lung irritation. Inhalation of large amounts of respirable particles may be toxic to the lungs. Symptoms may be modest initially, followed in hours

by severe shortness of breath requiring prompt medical attention.

Skin contact:

May cause skin irritation with discomfort or rash. Data to evaluate the skin permeation hazard of this compound are insufficient. There are no reports of human sensitization.

Eye contact:

May cause eye irritation with discomfort, tearing, or blurring of vision.

Carcinogenicity Information:

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, OSHA or ACGIH as a carcinogen.

4. FIRST AID MEASURES

Potential Effects Of Exposure:

Inhalation:

If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Call a physician.

Skin contact:

Flush skin with water after contact. Wash contaminated clothing before reuse.

Eye contact:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

Ingestion:

If swallowed, do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician.

Note to Physicians:

Activated charcoal mixture may be administered. To prepare activated charcoal mixture, suspend 50 grams activated charcoal in 400 mL water and mix thoroughly. Administer 5 mL/kg, or 350 mL for an average adult.

5. FIRE FIGHTING MEASURES

Flammable Properties

Flash point:

> 100 °C

Method:

Closed cup

Extinguishing Media:

Use fire-fighting measures which suit the environment and take into account other materials which may be involved. In general, water-based extinguishers should not be used for fires involving organic materials. Use carbon dioxide or dry powder.

Protective Equipment:

Wear self-contained breathing apparatus and protective clothing.

Hazardous Products of Combustion May Include:

Carbon dioxide, carbon monoxide, hydrogen fluoride, toxic gases or particles may be formed during combustion. These products may cause severe eye, nose, throat, and lung irritation or toxic effects.

Fire Fighting Instructions: Evacuate personnel to a safe area. Wear self-contained breathing apparatus. Avoid breathing decomposition products.

6. ACCIDENTAL RELEASE MEASURES

Personal Protection: Wear protective equipment including rubber gloves, and eye protection. Evacuate personnel to safe areas.

Environmental Protection: Take precautions to ensure product does not contaminate the ground or enter the drainage system.

Spill Clean-Up: Mix with vermiculite or proprietary absorbent material and transfer to sealed containers for disposal. Flush spill area with water.

7. HANDLING AND STORAGE

Safe Handling: Avoid contact with eyes and skin. Avoid contact with clothing. Avoid formation of respirable particles. Do not breathe vapors or spray mist. Wash hands immediately after handling the product.

Advice on protection against fire and explosion: do not spray on a naked flame or any other incandescent material.

Storage: Store in tightly sealed containers in a cool, well-ventilated place. Protect from moisture. Do not store or consume food, drink, or tobacco in areas where they may come in contact. Avoid circumstances that produce respirable particles unless suitable ventilation and respirator are used. Keep container tightly closed. Keep away from open flames and heated surfaces above 200 °C.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Engineering Controls: Keep container tightly closed. Use only with adequate ventilation. Vent heated extruder or dryer fumes outside work area. Do not aerosolize. In spray applications, use airless type pressure spray equipment at less than 60 psi, and exhaust ducts, drip pans, or other design features to minimize worker exposure to mists and overspray. Keep away from open flames and heated surfaces above 200 °C.

Personal Protective Equipment:

Eye/face protection: Wear safety glasses or coverall chemical splash goggles.

Respirators: Where there is potential for airborne exposures wear NIOSH approved respiratory protection.

Protective clothing: Where there is potential for skin contact have available and wear as appropriate impervious gloves, apron, pants, and jacket.

Exposure Guidelines:**Exposure Limits:**

| | |
|----------------|--|
| PEL (OSHA): | None established. |
| TLV (ACGIH): | None established. |
| AEL* (DuPont): | 5 mg/m ³ , 8 hour TWA 15 mg/m ³ , 15 minute TWA |

* AEL is DuPont's Acceptable Exposure Limit. Where governmental imposed occupational exposure limits are lower than the AEL are in effect, such limits shall take precedence.

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|----------------------------|--------------------------|
| Boiling Point | 145 - 245 °C @ 760 mm Hg |
| Molecular weight | ~ 520 g/mol (average) |
| Melting Point | 63 to 71 °C |
| Volatiles | < 2 weight % |
| Solubility in Water | Negligible |
| pH | 5 - 7 @ 20 °C |
| Odor | Wax-like |
| Form | Solid, waxy |
| Color | Pale to Medium Tan |
| Specific Gravity | 1.7 g/mL |
| Refractive Index | No data |

10. STABILITY AND REACTIVITY

| | |
|--|---|
| Chemical Stability: | Stable at normal temperatures and storage conditions. |
| Incompatibility with Other Materials: | None reasonably foreseeable. |
| Decomposition: | Hazardous decomposition products including carbon dioxide, carbon monoxide, hydrogen fluoride, toxic gases or particles may be formed during combustion. These products may cause severe eye, nose, throat, and lung irritation or toxic effects. |
| Polymerization: | Polymerization will not occur. |

11. ECOLOGICAL INFORMATION

No data available.

| | |
|-----------------|---|
| General: | Take care to prevent chemicals from entering the ground, water courses or drainage systems. |
|-----------------|---|

12. TOXICOLOGICAL INFORMATION**Animal Data:**

| | |
|-------------------------|----------------------|
| Inhalation 4 hour LC50: | 35.3 mg/l in rats |
| Oral ALD: | 11,000 mg/kg in rats |

The product is a slight skin irritant, a slight eye irritant, and is not a skin sensitizer in animals. The effects

in animals exposed by inhalation to single high doses include irregular breathing, salivation, and discharge from the eyes and nose. Large repeated doses (approximately 1000 times the AEL) caused slight liver and kidney damage. Repeated doses of approximately 20 mg/m³ had no effects. The effects in animals exposed by ingestion to single high doses include irregular respiration, weight loss, diarrhea and weakness. Repeated exposure caused reversible liver and kidney changes. The product was negative in the Bacterial Reverse Mutation Test with an independent repeat assay. An In Vitro mammalian chromosome aberration test using human peripheral lymphocytes was negative.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Observe all federal, state, and local environmental regulations.

14. TRANSPORTATION INFORMATION

| | |
|----------------------------------|------------------------------------|
| Mode | DOT/IMDG/IATA |
| UN Number | None. Non-hazardous for transport. |
| Class (Subsidiary) | None. Non-hazardous for transport. |
| Proper Shipping Name | None. Non-hazardous for transport. |
| Hazard Label (Subsidiary) | None. Non-hazardous for transport. |
| Packing Group | None. Non-hazardous for transport. |
| Shipping Hazard Label | None. Non-hazardous for transport. |

15. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA Inventory Status: Reported/Included.
TITLE III HAZARD CLASSIFICATIONS SECTIONS 311, 312

| | |
|------------|-----|
| Acute | Yes |
| Chronic | No |
| Fire | No |
| Reactivity | No |
| Pressure | No |

16. OTHER INFORMATION

NPCA-HMIS Rating

Health: 2
Flammability: 0
Reactivity: 0

Personal protection rating to be supplied by user depending on use conditions.

Legal Disclaimer: For R&D use only. Not for drug, household, or other uses. The previous information is based upon our current knowledge and experience of our product and is not exhaustive. It applies to the product as defined by the specifications. In case of combinations or mixtures, one must confirm that no new hazards are likely to exist. In any case, the user is not exempt from observing all legal, administrative and regulatory procedures relating to

the product, personal hygiene, and integrity of the work environment. Unless noted to the contrary, the technical information applies only to pure product.

To our actual knowledge, the information contained herein is accurate as of the date of this document. However, neither Top Fluorochem, nor any of its affiliates makes any warranty, express or implied, or accepts any liability in connection with this information or its use. This information is for use by technically skilled persons at their own discretion and risk and does not relate to the use of this product in combination with any other substance or any other process. This is not a license under any patent or other proprietary right. The user alone must finally determine suitability of any information or material for any contemplated use, the manner of use and whether any patents are infringed. This information gives typical properties only and is not to be used for specification purposes.

End of MSDS